

Gas Core Nuclear Rocket Engines Promise and Reality

James R French
JRF Engineering services
Icarus Study Team
17 November 2010

Gas Core Nuclear Rocket Engines

Background

- The gas core Nuclear Rocket has a long history as a promising concept
 - Eliminates solid core temperature limits
 - Promises 1.5 to 6 x improvement over solid core
 - Obvious potential for solar system exploration
 - Current study evaluates potential and problems for use on Icarus
 - By inspection not useful as primary
 - Evaluate for secondary applications

Gas Core Nuclear Rocket Engines

Concept

- Fissioning material (U^{235} , UF_4 , UF_6) gasified during operation
- Two types:
 - Open cycle - fissioning gaseous core stabilized by gas dynamic or electromagnetic means
 - Some leakage of fissioning material
 - Closed cycle – fissioning gas contained by transparent envelope (nuclear light bulb)

Gas Core Nuclear Rocket Engines

Closed Cycle

- Pros
 - Minimal contamination of surroundings
 - No makeup of nuclear material required (except for burnup)
- Cons
 - Temperature limited by envelope
 - Life expectancy limited by darkening of envelope
- Possible use on Icarus as electric and thermal power source but lifetime an issue
- Is it better than a good solid core reactor?

Gas Core Nuclear Rocket Engines

Open Cycle Concepts

- Hydrodynamic Stabilization
 - Vortex formed downstream of a center body by tangential injection of working fluid (H_2)
 - Nuclear material injected through center body into vortex core
 - Proper design minimizes loss of fissionable material
- Electromagnetic Stabilization
 - Similar configuration to hydrodynamic or:
 - Fissionable maintained in torus while H_2 flows down center

Gas Core Nuclear Rocket Engines

Open Cycle Issues (1)

- Heat transfer
 - How to effectively transfer heat from fissionable to working fluid
 - Cooling of engine structure, especially nozzle
- Buoyancy Effect
 - When significant acceleration applied, density difference overwhelms vortex

Gas Core Nuclear Rocket Engines

Open Cycle Issues (2)

- Dynamic stability of plasma
 - Analogous to high-frequency instability in chemical rockets
- Electromagnetic containment requires extremely high fields

Gas Core Nuclear Rocket Engines

Open Cycle Issues (3)

- How is it started?
- How do you shut it down?
 - Single use can let fissionable escape – contamination issues
 - Desire for reuse greatly complicates shutdown
 - Dumping core requires new load of fissionable
 - Recapturing core has performance / handling / storage issues

Gas Core Nuclear Rocket Engines

Some Thoughts

- Investigate combining hydrodynamic and electromagnetic containment
- Throat heat transfer
 - Conventional cooling probably limits I_{sp} to order of 1500 sec
 - Run at temperature high enough for magnetic nozzle
 - Could allow I_{sp} of 5000 to 6000 sec
 - May exclude operation at middle levels
 - May allow high I_{sp} with fluids other than H_2

Gas Core Nuclear Rocket Engines

Some More Thoughts

- Heat transfer to working fluid (H₂ or?) is critical
 - H₂ tends to be transparent at wavelengths of interest
 - Seeding has been suggested but compromises performance

Gas Core Nuclear Rocket Engines

Applications to Icarus

- Most obvious is independent probe
- Probe retargeting capability
 - Icarus cruises at 0.15 C (45,000 km/sec)
 - Probe with $I_{sp} = 6000$ sec and mass ratio of 4.4
 - Velocity change 87.2 km/sec
 - Probe deployment @ E- 20 days yields about 1 AU deflection
 - Capability essentially linear with I_{sp}
- Midcourse correction Icarus vehicle possible – details design dependent

Gas Core Nuclear Rocket Engines

Conclusion

- Gas Core Nuclear Rocket potentially useful to Icarus as auxiliary propulsion
- Huge potential for less difficult missions
- Technical problems significant but no worse than those for Icarus main propulsion
- Worthy of more study